

Princeton Chiropractic Wellness Center

(609) 683-3996

The Immune System

Written by Dr. Ari Cohn DC

The immune system is the system of the body responsible for all repairs in the body. It is primarily made up of two sub-systems, innate and adaptive. (1) The adaptive part recognizes and attacks invading microbes (viruses and bacteria) while the innate system functions by engulfing foreign objects or injecting microbes with poisons. (1) The innate system functions as the first line of defense and reacts immediately. (1) The adaptive system works by teaming B cells, T cells, and antibodies to overwhelm the invading antigen (bacteria, virus or foreign object) and is able to store a “finger print” of the invader so it can be recognized even faster the next time. (1) The innate system produces interferon, a chemical that blocks viral replication and sends a warning to the adaptive immune system. (1) Interferon is one of many chemical messengers that is sent between the two systems. (1) Although scientists have known about the nervous system’s role in regulating the immune system for years, this concept has finally come to the forefront of scientific research. (2,3-5)

Recently the focus of science has shifted from viewing the nervous system and immune system as separate entities to recognizing that the brain utilizes specific pathways to the immune system for the purposes of guiding, controlling and modulating the immune response. (2,6-8) There is bi-directional communication between the nervous system and immune system. (6,8,9) Neuromodulators, chemical messengers of the nervous system, are released by nerves to guide immune function. (2,10-13) The immune system communicates its status back to the nervous system by white blood cells secreting chemical messengers called neuropeptides. (2,14-18) When the

immune system is activated, immune cells also send out an array of specific chemicals, immunomodulators, to influence the function of the nervous system. (6) These immunomodulators reach specific target areas in the brain, where they induce various recuperative and protective behaviors such as shivering, sleepiness and a reduced propensity to fight attackers. (19) When people take a couple of aspirin or acetaminophen for pain and fever they may end up battling the sickness even longer because they are stopping these productive processes to feel better. (19) Studies suggest that anti-fever therapy prolongs illness by stopping the body from inducing its natural defenses. (19) These chemical pathways of communication are only a few of the many routes of communication that the nervous system and the immune system have.

There are multiple channels of communication cause alterations in the immune response. (4,5) One of the reasons that stress has such a harmful effect on health is because certain types of immune cells, responsible for attacking microbes (bacteria, viruses, fungi, etc.), are sensitive to certain brain chemicals, such as stress hormones, and will become inactive when they come into contact with these chemicals. (4,5) When stress hormones are released they can slow the immune response, which would explain why the immune system suffers in people under chronic stress (4,5). The part of the nervous system responsible for releasing these types of chemicals and guiding the stress response is the sympathetic nervous system. (33) The sympathetic nervous system is located in the spine and is responsible for activating the “fight or flight” response, which causes specific changes to occur throughout the

body in response to dangerous situations. (33) These changes include: opening up the airways in the lungs, increasing heart rate, sending blood to the muscles, sweat glands, eyes and the lower part of the brain to activate “instinct like” responses, blood is moved away from the digestive tract and the other internal organs. (33) Whenever the body comes into contact with a harmful stimulus there is an increase in activity of the sympathetic nervous system, while non-harmful stimuli generally decrease sympathetic activity. (34,35) These changes in sympathetic activity can be measured by measuring changes in heart rate and blood pressure. (34,35) Altered regulation of the sympathetic nervous system may be associated with the immunological abnormalities seen in chronic stress, clinical depression, and aging. (36) However, the nervous and immune system responses are not only guided by stimuli being good or bad, they also depend on the frequency of stimulation (34,37) This means that to attain correction in the nervous system any treatment being utilized would have to be administered on a regular basis (37)

Nervous system dysfunction can cause immune system dysfunction, and by removing the nervous system dysfunction, spinal adjustments can help correct immune system dysfunction. (2) Poor movement in the spine can adversely affect the immune response by causing the body to incorrectly activate a stress response, which slows the ability of the immune system to react. (2,4,5,34,) Subluxations are disturbances in the nervous system, which can cause increased or decreased activity of the sympathetic nervous system. (22) A disturbance in the nervous system can affect the body in two different ways. (37) One reaction the nervous system can have is to become hyperactive; the nervous system may bombard the periphery with excessive chemical messages that drastically alter the local homeostasis, causing abnormal changes in growth and activity. (37) When the sympathetic nervous system is hyperactive over long periods of time it will tend to produce the development of abnormal conditions and disease processes in the organs

or tissues to which it supplies information. (22,37,38) A second way that a disturbance in the nervous system can affect the body is when the nervous system becomes hypoactive; cells that are normally controlled and suppressed begin working people were compared: people who had been receiving long term chiropractic care, normal individuals who were deemed to be healthy, and seriously ill individuals. (42) All three groups were screened with battery of tests to make sure there were no other factors influencing their health such as genetic predispositions, nutrition, exercise, etc. (42) Particular scrutiny was given to the chiropractic group to see if there was any reason why they would have increased resistance or decreased susceptibility to disease and they were found to be perfectly normal. (42) Blood tests were performed on all of the groups for an enzyme that is very important in removing hazardous agents. (42) Blood tests were also performed to measure DNA repair by measuring two enzymes that are involved in that process; unscheduled DNA synthesis and ADPRT. (42) Measuring these enzymes measures the person’s sensitivity to develop resistance to hazardous environmental exposures and oxidative stress. (42) When these enzymes are suppressed it limits a person’s life span and the person’s ability to resist serious diseases. (42)

The normal healthy individuals had roughly a twofold enzymes level compared to the seriously ill group. (42) However, the chiropractic patients had a twofold higher enzyme level compared to the normal healthy patients, and had a fourfold higher enzyme level than the ill group. (42) Immune competence also known to substantially decrease with age. (42) Expert immunologists determined that in the 96 chiropractic patients ages 21-87 there was literally no decrease in immune competency. The only difference from the normal healthy people was that they were receiving long-term chiropractic care. (42)

This shows that chiropractic could optimize whatever genetic abilities these people have, so that they now can fully express immune function, which the normal individuals

or diseased individuals cannot. (42) This study used peripheral blood samples to demonstrate that the nervous system and the immune system may play a great role in the regulation of disease. (42) The researchers stated that these changes occurred from chiropractic care, not dietary intervention or any other factors. (42) They also stated that there is nothing else that seems to elicit these results. (42) These changes can be initiated at any age and people can have these benefits as long as they choose.

Unfortunately the way in which many people care for themselves is responsive. (43) They will wait until a health problem arises before taking any actions to improve their health. (43) Many health issues could be avoided if people took a more proactive stance on health decisions and started to take care of themselves or children earlier in life. Children raised under chiropractic care are less prone to infectious processes such as otitis media (ear infections) and tonsillitis. (44) These children have stronger immune systems and are also better able to cope with allergens such as pollen, weeds, grasses, etc. as compared to children raised under allopathic care. (44) There is also a significant decreased history of antibiotic therapy use among between the brain and the immune system. (2,6,8,20,21)

Numerous scientific and medical studies have demonstrated direct nerve supplies to the immune system (22-26) It has been shown that there is direct contact between nerves and lymphocytes (immune cells that kill viruses and tumor cells) in the spleen and thymus gland (the gland that develops and programs immune cells to attack foreign objects). (2,6,8,20,21) Altered nerve activity to the spleen has been found to diminish immune responses including the ability of natural killer cells to target and destroy viruses and cancer cells. (6,27) As far back as 1945 it was demonstrated that the bone marrow has an extensive nerve supply. (3) The nerve supply to the bone marrow is a direct link from the nervous system to lymphocytes and the immature cells that will eventually become red blood cells and white blood cells (which are immune cells). (2,8,23,28) Nerve stimulation to

the bone marrow causes an activation of the immune response by releasing the immune cells into the general circulation. (8,29) The lymphatic system also plays a major role in the immunity. (20) All lymphoid organs including lymph nodes, spleen, etc., have a direct nerve supply for the purpose of modulating the immune response. (8,29) Disturbances in the nervous system have been shown to alter the immune response and the function of these immune cells, specifically lymphocytes. (20)

Allergies are an inappropriate immune response to a substance that is not harmful to the body. A very powerful neurotransmitter called substance P, which is approximately 100-400 times more potent than histamine in eliciting symptoms, may play a role in this over reaction of the body. (30) Substance P is transported through specific types of nerves, it is released in response to dangerous or noxious mechanical, thermal and chemical stimuli, to elicit the appropriate defense reaction from the body. (2) Many allergic conditions may be at least partly due to some type of nervous system dysfunction resulting in inappropriate release of substance P. (2)

It has also been suggested that the immune system acts as a sensory organ, like the eyes or ears, only spread out over the whole body and transmitting information to the nervous system that is just as crucial in guiding a person's actions but much less distinct than sight or hearing. (4,5,16,31,32) The immune system acts as a network of specialized biosensors designed to pick up information from within and around the body and relay that information to the brain. This causes animals or people to behave in specific ways to promote healing or to guide reactions in the interest of self preservation. (4,5) The activation of these functions can be altered by stress. (4,5)

Stress plays a major role in many illnesses and can out of control which can lead to cancer. (37) All cells are equipped with all the necessary genes to allow them to differentiate (reproduce), and with proper nervous system function only the appropriate set of genes is activated. (37) Cancer cells are cells that are

growing and functioning out of control because the wrong set of genes has been turned and left on because the nervous system has failed to suppress them. (37) Long term changes in the nervous system have also been shown to be mitigating factors in many disorders including autoimmune diseases, cancer, fibromyalgia and chronic fatigue syndrome. (8,34,37) When the disturbance in the nervous system is corrected and the abnormal activities are eliminated, homeostasis in the periphery can be reestablished and the process of disease will be eliminated. (37) An abnormally functioning nerve which is either hyperactive or hypoactive tends to return to normal function upon proper stimulation. (37) However, it is crucial that therapies are given at a frequent interval in order for the normalization to take hold to cause a permanent cure. (37) Chiropractic adjustments correct subluxations which are disturbances in the nervous system. (2,37,39)

Vertebral subluxations are caused by an overload of either a physical, emotional or chemical stress. (40) When these types of stress exceed the limits of the body's ability to adapt, a sequela is initiated which leads to subluxation. (40) Subluxations cause disturbances in the nervous system by initiating this sequence of events; 1) misalignment of the vertebrae, 2) narrowing of the intervertebral foramina, the holes between the vertebrae through which the nerves exit the spinal cord, 3) subsequent tissue or fluid-related pressure on the nerve root, and 4) a resulting interference to the "flow of mental impulses". (40) Spinal adjustments can correct the subluxations and may eliminate these adverse affects. (2, 37)

Studies that have measured the effect of chiropractic adjustments on the immune system have shown that chiropractic can influence T and B lymphocyte numbers, NK (natural killer)

cell numbers, antibody levels, phagocytic activity and plasma beta-endorphin levels. (41) The effect of specific spinal adjustments on the immune system was measured by looking at CD4 cell counts of HIV positive individuals as measured by CD4/mm³ in the blood. (22) The CD4 cells, or T-helper cells, are the immune cells that are attacked in HIV patients. (22) The blood tests used in this study were performed by each patient's independent medical center where they were under medical supervision for the condition. (22) Both of the control groups, one receiving placebo adjustments the other receiving no adjustments each experienced about an 8% decrease in CD4 cell counts over a six month period, while the group receiving real chiropractic adjustments experienced a 48% increase in CD4 cell levels over a period of six months. (22) Although chiropractic adjustments helped to greatly improve the ability of seriously ill people with HIV to fight disease, other studies have shown that it should not be restricted to the sick. (42)

One study observed the effect that chiropractic adjustments have on a person's ability to repair cellular damage and genetic mutations. (42) Three groups of children receiving chiropractic care. (44) A Penn State University study of 654 Americans published in journal of social science and medicine stated that persons with childhood health problems were twice as likely to develop cancer or chronic lung disease by late middle age. (45) Arthritis was about 33% higher in this group (45) A childhood of ill health may be parent to a full gamut of adult illnesses. (46) Chiropractic stimulates the immune system to combat infectious processes and not only helps sick people get well but helps healthy people become much healthier. (44,42)

1. Russell S An innate defense system. San Francisco Chronicle. October 16. 2000. p A 8.
2. Fidelibus J. An overview of neuroimmunodulation and a possible correlation with musculoskeletal system function. J manip physiol ther 1989; 12:289-292.
3. KuntzA, Richins CA. Innervation of the bone marrow. Journal of comparative Neurology. 1945;83:213-222.
4. Weise R. Immune system may be your sixth sense: chemicals in body have influence on mate selection, other behaviors. Calgary Herald April 24.1999. B6.
5. Weiss R. Sixth Sense: what your immune system knows April 19, 1999 The Washington Post. P. A09.
6. Kent C. "The mental impulse-Biomechanical and immunologic aspects." The Chiropractic Journal. (Date?)
7. The lancet, Jan 14, 1995.
8. Elenkov IJ, Wilder RL, Chrousos GP, Vizil ES. The sympathetic nerve. An integrative interface between two supersystems: the brain and the immune system. Pharmacol Rev 2000;52(4):595.
9. Pert CB, Dreher HE, Ruff MR: "The Psychosomatic network: foundations of mind body medicine. " Alternative Therapies 1998; 4(4):30.
10. Payan DG, Goetzl EJ. Modulation of lymphocyte function by sensory neuropeptides. J immunol 1985;135(supp1):783-786.
11. O'Doriso MS, Wood CL, O'Dorsio TM. Vasoactive intestinal peptide and neuropeptide modulation of the immune response. J Immunol 1985;135(Supp1):792-796.
12. Payan DG, BrewsterDR, Missirian-Bastian A, Goetzl EJ. Specific stimulation of human T lymphocytes by substance P. J Clin Invest 1984;74::1532-39.
13. Miles K, Chelmicka-SchorrE, Atewa S, ottenG, Arnason BGW. Sympathetic ablation alters lymphocyte membrane properties. J Immunol 1985;135(supp1):797-801.
14. Smith EM, Harbour-McMenamin D, Blalock JE. Lymphocytic production of endorphins and endorphin-mediated immunoregulatory activity. J Immunol 1985; 135(Supp1):779-82.
15. Hall NR, McGillis JP, Spangelo BL, Goldstein AL. Evidence that thymosins and other biologic response modifiers can function as neuroactive immunotransmitters. J Immunol 1985; 135(Supp1):806-811.
16. Blalock JE, Harbour-McMenamin D, Smith EM. Peptide hormones shared by the neuroendocrine and immunologic systems. J Immunol 1985; 135(Supp1):858-861.
17. Pert Cb, Ruff MR, Weber RJ, Herkenham M: "Neuropeptides and their receptors: a Psychosomatic network." J immunol 1985;35(2):820s
18. Pert CB. "the wisdom of the receptors: neuropeptides, the emotions, and bodymind." Advances 1986: 3(3):8.
19. Maryland researchers find anti-fever drugs may prolong the flu." University of Maryland at Baltimore, December 2, 2000.
20. Calder J.S., Holten I, McAllister R. Evidence for immune system involvement in reflex sympathetic dystrophy. Journal of hand surgery (British and European volume) 1998; 23B:2:147-150.
21. Hall and Goldstein: Encyclopedia of neuroscience, immune system, modulation by the CNS. Boston: Hall and Goldstein, 1987:523.
22. Selano J, Hightower B, Pflieger B, Collins K, Grostic J. The effects of specific upper cervical adjustments on the CD4 counts of HIV positive patients. Chiropractic Research Journal 1994;3(1):32-39.
23. Bullock K: Neuroendocrine immune circuitry: Pathways involved with the induction and persistenc of humoral immunity, Ph.D. dissertation 1981;U.C.S.D. San Diego.
24. Bullock K, Moore RY: Nucleus Ambiguous projection to the thymus gland: possible pathways fro regulation of the immune response and the neuroendocrine network. Am Assoc of Anat 1980;25
25. Bullock K, Moore RY: Thymus gland innervation by brainstem and spinal cord in mouse and rat. Am J of Anat. 1981;162:157-166.
26. Miles K: the sympathetic nervous system modulates antibody response to thymus-independent antigens. J Neuroimmunol. 1981;1:1010-105.
27. Hori T, Katafuchi T, Take S, et al. The autonomic nervous system as a communication channel between the brain and the immune system. Neuroimmunomodulation 1995;2(4):203.

28. Felten DL, Felten SY, Carlson SL, Olschovka JA, Livnat S. Noradrenergic and peptidergic innervation of lymphoid tissue. *J Immunol* 1985;135(Supp1):755-765.
29. Felten DL, Felten SY, Bellinger DL, et al Noradrenergic sympathetic neural interactions with the immune system: structures and function. *1987 Immunological reviews*;100:225-260.
30. Goetzl EJ, Chernov T, Renold F, Payan DH. Neuropeptide regulation to the expression of immediate hypersensitivity. *J immunol* 1985;135(supp1):802-05.
31. Blalock JE. The immune system as a sensory organ. *Journal of immunology* 1984;132:1067-1070.
32. Pert CB, Ruff MR, Weber RJ, Herkenham M. Neuropeptides and their receptors: a Psychosomatic network. *Journal of immunology*. 1985 135:820-826.
33. Marieb E. *Human anatomy and physiology*. 3rd ed. The Benjamin. Cummings pub co. CA. 1995.
34. Sato A, Swenson Rand. Sympathetic nervous system response to mechanical stress of the spinal column in rats. *j manip physiol ther* 1984; 7:3:141-147.
35. Hanson B. Circulatory responses to stimulation of somatic afferents. *Acta Physiol. Scand (supp1)* 1962;198:1-91.
36. Friedman EM, Irwin MR: Modulation of immune cell function by the autonomic nervous system. *Pharmacol Ther* 1997;74(1):27.
37. Lee TN. Thalamic Neuron Theory: Theoretical basis for the role played by the central nervous system (CNS) in the causes and cures of all diseases. *Medical hypothesis*. 1994. 43. 285-302.
38. Dernow B. Role of tachykinins in neurogenic inflammation. *J immunol* 1985;135 (supp1):812-815.
39. Masarsky C, Todres-Masarsky M. *Somatovisceral aspects of chiropractic care; an evidence based approach*. Churchill Livingstone, New York.2001.
40. Epstein d. *Network spinal analysis: A system of health care delivery within the subluxation-based chiropractic model* 1996
JVSR.1(1).1-9.
41. The effects of chiropractic on the immune system. *Chiropractic Journal of Australia*. 1993.
42. Pero R. Chiropractic research project, Wallenberg Laboratories, University of Lund, Lund Sweden, February 22, 1989.
43. Braile B. Are more decisions based on fear? *ICA Review* June 1998. 69-72.
44. VanBreda L, Stellensboch S, Jones C, et al. A comparative study of the health status of children raised under the health care models of chiropractic and allopathic medicine. *The American Chiropractor*. Sept 1993.40-43.
45. Childhood illnesses have adult implications. healthmall.com 1/29/01
46. Childhood illnesses have adult implications. Healthmall.com 8/23/02